Grass and Forage Science

EDITED BY A. YOUNGER

VOLUME 49, 1994

The Journal of the British Grassland Society
published by Blackwell Scientific Publications
Oxford London Edinburgh Boston
Melbourne Berlin Paris Vienna

© 1994 Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
238 Main Street, Cambridge, MA
02142, USA
54 University Street, Carlton, Victoria 3054,
Australia

Other editorial offices

Blackwell Wissenschafts-Verlag GmbH,
Kurfürstendamm 57, 10707
Berlin, Germany
Arnette, 1 rue de Lille,
75006 Paris, France
Blackwell MZV, Feldgasse 13,
A-1238 Wien, Austria

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Scientific Publications for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $10.50 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. Special requests should be addressed to the Editor. 0142-5242/94 $10.50

ISSN 0142-5242

Printed in Great Britain by Whitstable Litho, Whitstable, UK

Contents

NUMBER 1, MARCH 1994

K.E. CLIFTON, J.W. BRADBURY and S. L. VEHRENCAMP. The fine-scale mapping of grassland protein densities 1

A. HOPKINS, A.H. ADAMSON and P.J. BOWLING. Response of permanent and reseeded grassland to fertilizer nitrogen. 2. Effects on concentrations of Ca, Mg, K, Na, S, P, Mn, Zn, Cu, Co and Mo in herbage at a range of sites 9

D.P. BELESKY and W.L. STOUT. Growth of prairie grass (*Bromus willdenowii*) and tall fescue × perennial ryegrass (*Festuca arundinacea* × *Lolium perenne*) on the Appalachian Plateau of southern West Virginia, USA 21

P.C. CHIY, C.J.C. PHILLIPS and C.L. AJELE. Sodium fertilizer application to pasture. 5. Effects on herbage digestibility and mineral availability in sheep 25

G.E.J. FISHER, M.S. SABRI and D.J. ROBERTS. Effects of feeding fodder beet and concentrates with different protein contents on dairy cows offered silage *ad libitum* 34

R. SHARP, P.G. HOOPER and D.G. ARMSTRONG. The digestion of grass silages produced using inoculants of lactic acid bacteria 42

C.A. MOORE and S. J. KENNEDY. The effect of sugar beet pulp-based silage additives on effluent production, fermentation, in-silo losses, silage intake and animal performance 54

T.H. DAVIES and J. RILEY. Reseeding in the Falkland Islands: seed rate and fertilizers for establishment 65

T.J. MAXWELL, A.R. SIBBALD, A.J.I. DALZIEL, R.D.M. AGNEW and D.A. ELSTON. The implications of controlling grazed sward height for the operation and productivity of upland sheep systems in the UK. 1. Effects of two annual stocking rates in combination with two sward height profiles 73

A.R. SIBBALD, T.J. MAXWELL, T.E.H. MORGAN, J.R. JONES and M.E. REES. The implications of controlling grazed sward height for the operation and productivity of upland sheep systems in the UK. 2. Effects of two annual stocking rates in combination with two levels of fertilizer nitrogen 89

A.L. HART and W.A. COLLIER. The effects of phosphorus and form of nitrogen supply on leaf cell size and nutrient content in *Trifolium repens* and *Lotus uliginosus* 96

R.O. CLEMENTS and I.F. HENDERSON. Yield response to insecticide treatment of a perennial ryegrass sward following sheep grazing or cutting by machine (Research Note) 105

J.R. MILLER and N.T. HOBBS. Effect of forage hydration on lag time during *in vitro* digestion of meadow hay (Research Note) 107

NUMBER 2, JUNE 1994

A. MAZZANTI, G. LEMAIRE and F. GASTAL. The effect of nitrogen fertilization upon the herbage production of tall fescue swards continuously grazed with sheep. 1. Herbage growth dynamics 111

P. MARTINIELLO and A. CIOLA. The effect of agronomic factors on seed and

forage production in perennial legumes sainfoin (*Onobrychis viciifolia* Scop.) and French honeysuckle (*Hedysarum coronarium* L.) 121

J.H. HARRISON, R.L. KINCAID, K.A. LONEY, R. E. RILEY and J. CRONCRATH. Fermentation and nutritive value of *Zea mays* and lucerne forage ensiled with added rolled barley 130

P. NARASIMHALU and H.T. KUNELIUS. Yield and composition of red clover treated with growth regulators in early spring 138

P. NARASIMHALU and H.T. KUNELIUS. Mineral composition of red clover treated with growth regulators in early spring 146

F.W. KIRKHAM and R.J. WILKINS. The productivity and response to inorganic fertilizers of species-rich wetland hay meadows on the Somerset Moors: nitrogen response under hay cutting and aftermath grazing 152

F.W. KIRKHAM and R.J. WILKINS. The productivity and response to inorganic fertilizers of species-rich wetland hay meadows on the Somerset Moors: the effect of nitrogen, phosphorus and potassium on herbage production 163

J. NORRINGTON-DAVIES and D.J. BUCKERIDGE. Plant interference and chemical toxins in upland pastures 176

A.G. WILLIAMS, J.F. LOWE and D.V.H. REES. The effect of oxygen concentration on changes in the microbial population, temperature and dry-matter content in grass silage 183

R.C. BINNIE and D.M.B. CHESTNUTT. Effect of continuous stocking by sheep at four sward heights on herbage mass, herbage quality and tissue turnover on grass/clover and nitrogen-fertilized grass swards 192

A. LLOYD. Effectiveness of cattle slurry as a sulphur source for grass cut for silage 203

B.F. PAIN, T.H. MISSELBROOK and Y.J. REES. Effects of nitrification inhibitor and acid addition to cattle slurry on nitrogen losses and herbage yields 209

C.P. FERRIS and C.S. MAYNE. The effects of incorporating sugar-beet pulp with herbage at ensiling on silage fermentation, effluent output and in-silo losses 216

C.P. FERRIS and C.S. MAYNE. Effects on milk production of feeding silage and sugar-beet pulp as separate components, in a mixed ration or as an ensiled blend 229

C.P. FERRIS and C.S. MAYNE. Effects on milk production of feeding silage and three levels of sugar-beet pulp either as a mixed ration or as an ensiled blend 241

J.T. DOUGLAS and C.E. CRAWFORD. An evaluation of the drop-disc technique for measurements of herbage production in ryegrass for silage (Research Note) 252

NUMBER 3, SEPTEMBER 1994

P. SAVOIE, L.R. BURGESS, A.C. KNIGHT and M.B. McGECHAN. Drying and physical characteristics of matted ryegrass 257

W.A.KENDALL, J.A. SHAFFER and R.R. HILL JR. Effect of temperature and water variables on the juvenile growth of lucerne and red clover 264

P.C.D. NEWTON and M.J.M. HAY. Patterns of nodal rooting in *Trifolium repens*

(L.) and correlations with stages in the development of axillary buds 270

J.M.W. BEUVINK and S.F. SPOELSTRA. *In vitro* gas production kinetics of grass silages treated with different cell wall-degrading enzymes 277

T.W.J. KEADY, R.W.J. STEEN, D.J. KILPATRICK and C.S. MAYNE. Effects of inoculant treatment on silage fermentation, digestibility and intake by growing cattle 284

H.G. JUNG, R.R. SMITH and C.S. ENDRES. Cell wall composition and degradability of stem tissue from lucerne divergently selected for lignin and *in vitro* dry-matter disappearance 295

I. SELMER-OLSEN. Enzymes as silage additives for grass-clover mixtures 305

R.A. BYERS, C.C. BAHLER, W.L. STOUT, K.T. LEATH and L.D. HOFFMAN. Establishment of lucerne after maize in conservation tillage systems 316

J.A. ROOKE and F. KAFILZADEH. The effect upon fermentation and nutritive value of silages produced after treatment by three different inoculants of lactic acid bacteria applied alone or in combination 324

G.B. DOUGLAS, A.G. ROBERTSON, A.C.P. CHU and I.L. GORDON. Effect of plant age and severity of defoliation on regrowth of sheep's burnet during substrate moisture depletion 334

C. RAMMER, C. ÖSTLING, P. LINGVALL and S. LINDGREN. Ensiling of manured crops—effects on fermentation 343

A. MAZZANTI and G. LEMAIRE. Effect of nitrogen fertilization on herbage production of tall fescue swards continuously grazed by sheep 2. Consumption and efficiency of herbage utilization 352

G.T. BARTHRAM and S.A. GRANT. The effects of management and plant variety on the composition, vertical structure and stock-carrying capacity of *Lolium perenne*/*Trifolium repens* pastures 360

R.D. SHELDRICK, R.H. LAVENDER and T.M. MARTYN. Effects of delay in reapplication of nitrogen fertilizer following cutting silage from a ryegrass sward (Research Note) 369

NUMBER 4, DECEMBER 1994

W.J. FULKERSON and K. SLACK. Leaf number as a criterion for determining defoliation time for *Lolium perenne*. 1. Effect of water-soluble carbohydrates and senescence 373

A. STEG, W.M. VAN STRAALEN, V.A. HINDLE, W. A. WENSINK, F. M. H. DOOPER and R. L. M. SCHILS. Rumen degradation and intestinal digestion of grass and clover at two maturity levels during the season in dairy cows 378

J.P. FROST. Effect of spreading method, application rate and dilution on ammonia volatilization from cattle slurry 391

D.G. STOUT and D.T. THOMPSON. Yield and compensatory growth of lucerne following simulated winter-kill 401

D.M.B. CHESTNUTT. Effect of early season sward management on sward quality and lamb liveweight gain during autumn 405

J.W. COOK, W.W. BRADY and E.F. ALDON. The effect of grass plant size on basal frequency estimates 414

D. WILMAN, G. H. ACUÑA P. and P. JOY MICHAUD. Concentrations of N, P, K, Ca, Mg and Na in perennial

ryegrass and white clover leaves of different ages 422

MARGARET MERCHANT and D.J. RIACH. The intake and performance of cashmere goats grazing sown swards 429

T.W.J. KEADY and R.W.J. STEEN. Effects of treating low dry-matter grass with a bacterial inoculant on the intake and performance of beef cattle and studies on its mode of action 438

R. CHAPMAN, A. YOUNGER and R. DAVIES. The influence of soil factors on the growth of a grass/clover sward on a restored opencast site in Northumberland 447

G.D. BUXTON and G.J. GIBSON. Aerobic deterioration of grass silage: the need to couple models and experiments 458

R.J. WILKINS, M.J. GIBB, C.A. HUCKLE and A.J. CLEMENTS. Effect of supplementation on production by spring-calving dairy cows grazing swards of differing clover content 465

P.D. PENNING, A.J. PARSONS, R.J. ORR and G. E. HOOPER. Intake and behaviour responses by sheep to changes in sward characteristics under rotational grazing 476

G.T. BARTHRAM and S.A. GRANT. Seasonal variation in growth characteristics of *Lolium perenne* and *Trifolium repens* in swards under different managements 487

N.H. YARROW and P.D. PENNING. Managing grass/clover swards to produce differing clover proportions (Research Note) 496

J.A. NEWMAN, A.J. PARSONS and P.D. PENNING. A note on the behavioural strategies used by grazing animals to alter their intake rates (Research Note) 502

ROSEMARY P. COLLINS and I. RHODES. Influence of root competition on compatibility between white clover and perennial ryegrass populations during seedling establishment (Research Note) 506

Book reviews 510

Author Index 513